



Shreyash Pratishthan's

Shreyash College of Engineering & Technology

Satara Parisar, Beed By-Pass Road, Aurangabad -431010(M.S.)

T: +912406608784/702, F: +912406608709, E: principal@sycet.org,

Web: www.sycet.org & www.syp.ac.in



4.1.1: The Institution has adequate facilities for teaching- learning. viz., classrooms, laboratories, computing equipment etc.

Index

Sr. No.	Particulars	Page No.
1	Facility for teaching learning (Class room, lab, etc.)	2
2	Facilities for Teaching and Learning(Computing equipment)	2
3	Master plan of campus	3
4	AICTE application deficiency report 2022-23	4
5	Sample Photographs of facilities for teaching-learning	9


1. Facilities for Teaching and Learning (For Classroom, lab etc.)

Sr. No.	Details of the Facilities	NUMBERS		AREA IN SQ. M	
		Required as per AICTE Norms	Available Number	Required as per AICTE Norms	Available Area
1	Classrooms (UG)	21	21	1386	1611.50
2	Tutorial Rooms (UG)	06	06	198	224.57
3	Laboratory (UG)	34	34	2244	2432.28
4	Classrooms (PG)	08	09	330	509.76
5	Laboratory (PG)	04	05	264	376.41
6	Research Laboratory (PG)	01	01	66	100.74
7	Central Work Shop	01	01	200	468.21
8	Computer Centre	01	01	150	154.66
9	Language Laboratory	01	01	66	77.17
10	Drawing Hall	01	01	132	137.2
11	Library & Reading Room	01	01	400	453
12	Seminar Halls	02	02	264	331.46
13	Training and Placement Office	01	01	30	30


2. Facilities for Teaching and Learning (Computing equipment)

Sr. No.	Details of the Facilities	Available Numbers
1	Desktop	467
2	Printers	30
3	Scanners	10
4	Internet Connectivity	455 Mbps




Principal
Shreeyash College of Engineering
& Technology Aurangabad

3. Master Plan of Campus





APPROVAL PROCESS 2022-23

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	Western	Overall Deficiency of Institution:	No
Application ID	1-10975314741	Permanent ID	1-7854956
Name of the Institution	Shreeyash Pratishthan'S, Shreeyash College Of Engineering & Technology	Address	Gut No. 258, Satara Tanda, Aurangabad-431005 Dist: Aurangabad Maharashtra
City/Village	Aurangabad	District	Aurangabad
State	Maharashtra	PIN	431005

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Dr. Ramkisan Pawar	Regular	BE MECHANICAL, ME (MECH),	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay VI/Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	163	140	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
---------	-------------	--------------------------	----------------------------	------------

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report somethin



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-22/04/2022

1.	Board Room	29	20	No
2.	Department Offices/Cabin for Head of Dept	303	160	No
3.	Central Store	36	30	No
4.	Exam Control Office	42	30	No
5.	Housekeeping	20	10	No
6.	Maintenance	20	10	No
7.	Office All Inclusive	319	300	No
8.	Placement Office	32	30	No
9.	Principal Directors Office	50	30	No
10.	Security	20	10	No
TOTAL		871.00	630.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	101.5	100	No
2.	Cafeteria	150	150	No
3.	First aid cum Sick Room	10	10	No
4.	Girls Common Room	101.5	100	No
5.	Stationery Store	23.4	10	No
TOTAL		386.40	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Printers	30	28	No
2.	A1 size Color Printers	1	0	No
3.	Legal Application S/W	30	30	No
4.	Legal System S/W	6	4	No
5.	PCs to Student ratio	546	546	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	33403	30450	No
2.	Titles	7252	6450	No
3.	Journals	139	138	No
4.	Library Management Software	1	1	No
5.	Reading Room Seating Capacity	150	150	No
6.	MultiMediaPC	10	10	No

2

Instructional Area-Common Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	304	300	No
2.	Library & Reading Room	812	810	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-22/04/2022

3.	Language Laboratory	77	33	No
TOTAL		1193.00	1143.00	

Land Area Details

Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	10	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	1607	1386	No
2.	Tutorial Room	UG	225	198	No
3.	Seminar Hall	UG/PG	194	132	No
4.	Additional Workshop	UG/PG	217	200	No
5.	Drawing Hall	UG/PG	137	132	No
6.	Workshop	UG/PG	251	200	No
7.	Laboratory	UG	2430	2244	No
8.	Classroom	PG	361	264	No
9.	Laboratory	PG	477	462	No
TOTAL			5899.00	5218.00	

Existing Programme / ENGINEERING AND TECHNOLOGY-Diploma

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	DIPLOMA	1213	1056	No
2.	Tutorial Room	DIPLOMA	174	132	No
3.	Seminar Hall	DIPLOMA	136	132	No
4.	Additional Workshop	DIPLOMA	170	150	No
5.	Drawing Hall	DIPLOMA	132	132	No
6.	Workshop	DIPLOMA	208	200	No
7.	Laboratory	DIPLOMA	1686	1584	No
TOTAL			3719.00	3386.00	

Existing Programme / MANAGEMENT

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	154	132	No
2.	Tutorial Room	PG	42	33	No
3.	Seminar Hall	UG/PG	137	132	No
TOTAL			333.00	297.00	

Other Facilities

Sr. No.	Particulars	Availability	Deficiency
---------	-------------	--------------	------------

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-22/04/2022

1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment of Student Counselor	Yes	No
8.	Establishment of Anti-Ragging Committee	Yes	No
9.	Establishment of Committee for SC/ST	Yes	No
10.	Establishment of Internal Complaint Committee(ICC)	Yes	No
11.	Establishment of Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Enviroment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Online Grievance Rederssal Mechanism	Yes	No
19.	Internal Quality Assurance Cell	Yes	No
20.	Fire and Safety Certificate	Yes	No
21.	Atleast 5 MoUs with industries	Yes	No
22.	Display of info submitted to AICTE on website	Yes	No
23.	General Insurance	Yes	No
24.	Backup Electric Supply	Yes	No
25.	Group accident policy for employees	Yes	No
26.	Implementation of student Induction Programme	Yes	No
27.	Waste Management and a sustainable Green Campus	Yes	No
28.	Display of Course(s) and Approved In entrance	Yes	No
29.	Institution Web Site-Mandatory Disclosure	Yes	No
30.	Medical & Counseling	Yes	No
31.	Notice Boards	Yes	No
32.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-22/04/2022

DECLARATION

BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION/DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2022-23.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2022-23.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the web portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2022-23), Increase in Intake/ Additional Course(s), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2022-23.

Signature of Authorized Signatory

Name :

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

5. Sample Photographs of Facilities for Teaching-Learning:



Shreyash Pratishthan's Campus, Aurangabad



Shreyash College of Engineering & Technology, Aurangabad



Shreyash College of Engineering & Technology, Aurangabad (Inner view)





Girls' Hostel Building



Satara Tanda 2, Maharashtra, India

Shreyash College Rd, Satara Tanda 2, Maharashtra 431136, India

Lat 19.818163°

Long 75.32863°

13/09/21 05:34 PM

Boys' Hostel Building



Seminar Hall (UG)



Seminar Hall (PG)



Workshop



UG-Class Room



PG(MBA)-Class Room



Class Rooms




Drawing Hall



Computer Centre

ICT Class Room (Smart Board)




Geotechnical Engineering Laboratory

Computer Network Lab




e-Yantra lab (Robotics Lab)



TIFAN/BAJA Vehicles




TIFAN/BAJA Workshop



Central Library



Lecture Recording Room



Cafeteria



Bus facility for Transportation